



Food Traceability

North America



CONTENTS


FIELD HARVEST & PACK HOUSE	
Duratherm III Paper.....	3
Duratherm III Linerless.....	4
Duratherm III Film Label	4
PARENT-CHILD LOT TRACEABILITY	
Duratran II Paper.....	5
MANUFACTURING / PROCESSING	
Duratherm II Paper.....	6
Duratherm III Linerless.....	7
Duratherm III Film Label	7
Duratran II Paper.....	8
TOTE / RPC / DRUM LABELS	
Duratherm III Film Label	9
Duratran II Kimdura Film Label.....	9
Duratran II Gloss Polyester Film Label.....	10
RFID Duratran II Gloss Polyester Film Label.....	10
SHIPPING	
Duratherm II Paper.....	11
Duratran II Paper	12
Country of Origin Integrated Shipping Label.....	13
ASSET LABELS	
Duratran S Film Label	14
Duratran II Gloss Polyester Label.....	15
COLD CHAIN FOOD LOGISTICS	
Duratherm III Paper.....	16
Country of Origin Integrated Shipping Label.....	17
THERMAL TRANSFER RIBBONS	
ThermaMAX 1000 Wax Ribbons.....	18
ThermaMAX 2000 Mid-Range Ribbons	18
ThermaMAX 3000 Resin Ribbons	18
APPENDIX	
Direct Thermal vs. Thermal Transfer	19
Free Printhead Replacement Program	19
Application Briefs	20

All products detailed herein are approved for *indirect food contact* per FDA Regulation 21CFR175.105


FIELD HARVEST & PACK HOUSE

Duratherm III Paper


Duratherm III is a top-coated direct thermal paper that provides enhanced durability for applications where humidity and surface abrasion are a concern.




E24615




E24627




E27085




E27086




E27087




E22749



E27088



E27089



SF17266-Blank

Size	ID	OD	Part Number	Printer Configuration	Qty/Roll	Rolls/Ctn	Ctn Weight	Stock/ MTO	Suggested Retail Price	
									\$/Roll	\$/M
2"x4"	0.75"	2.25"	E24615	Mobile	126	32	15	MTO	\$2.27	\$18.02
3"x5"	0.75"	2.6"	E24627	Mobile	101	48	36	MTO	\$2.27	\$22.48
4"x2"	0.75"	2.6"	E27085	Mobile	338	16	15	Stock	\$4.12	\$12.19
4"x3"	0.75"	2.6"	E27086	Mobile	230	16	15	Stock	\$4.12	\$17.91
4"x4"	0.75"	2.6"	E27087	Mobile	174	16	15	Stock	\$3.76	\$21.61
2"x4"	3"	8.38"	E22749	Industrial	1454	8	26	Stock	\$24.92	\$17.14
4"x2" (CT)	3"	8.38"	E27088	Industrial	2823	4	24	Stock	\$49.17	\$17.42
4"x3" (CT)	3"	8.38"	E27089	Industrial	1920	4	24	Stock	\$43.58	\$22.70
4"x4" (CT)	3"	8.38"	SF17266-Blank	Industrial	1454	4	24	Stock	\$60.95	\$41.92

CT = Cold Temperature Adhesive

Desktop



Industrial




Mobile




FIELD HARVEST & PACK HOUSE

Duratherm III Linerless


Duratherm III Linerless is a self-wound adhesive label that provides excellent print quality and durability without the need for a liner. By removing the liner, the roll capacity increases and there's no need to dispose of the liner.



E25760



E25761




E25759

Size	ID	OD	Part Number	Printer Configuration	Rolls/Ctn	Ctn Weight	Stock/MTO	Suggested Retail Price	
								\$/Roll	\$/CTN
2.25"x860"	0.75"	2.25"	E25760	Mobile	50	20 lbs	MTO	\$5.27	\$263.55
3.25"x1260"	0.75"	2.6"	E25761	Mobile	50	24 lbs	MTO	\$11.20	\$560.18
4.375"x1260"	0.75"	2.6"	E25759	Mobile	50	30 lbs	MTO	\$21.74	\$1086.95

Note: Linerless media has a three carton minimum order requirement.

Duratherm III Film Label

Duratherm III Film is a top-coated direct thermal film employing a all-temperature adhesive perfectly suited for ambient and refrigerated environments.



E25764

Size	ID	OD	Part Number	Printer Configuration	Qty/Roll	Rolls/Ctn	Ctn Weight	Stock/MTO	Suggested Retail Price	
									\$/Roll	\$/M
2"x1"	0.75"	2.6"	E25764	Mobile	506	32	17 lbs	Stock	\$3.87	\$7.65

Desktop



Industrial




Mobile



PARENT-CHILD LOT TRACEABILITY

Duratran II Paper

Duratran™ II is a top-coated thermal transfer paper that demonstrates excellent print quality with the TMX1407 ribbons. This product is recommended where moderate abrasion, heat or sunlight are present.



E27090


Size	ID	OD	Part Number	Printer Configuration	Qty/Roll	Rolls/Ctn	Ctn Weight	Stock/ MTO	Suggested Retail Price		PD/PM/PX Ribbon
									\$/Roll	\$/M	
4"x7"	3"	8.38"	E27090	Industrial	840	4	24	Stock	\$38.35	\$45.65	11234118




MANUFACTURING / PROCESSING

Duratherm II Paper


Duratherm II is a non top-coated direct thermal paper that offers high quality, cost-effective printing. This material is recommended for most general-use applications where exposure to chemicals and moisture is not anticipated.




E21016



E14225



047164



SF23884


										Suggested Retail Price	
Size	ID	OD	Part Number	Printer Configuration	Qty/Roll	Rolls/Ctn	Ctn Weight	Stock/ MTO		\$/Roll	\$/M
4"x6"	0.75"	2.6"	E21016	Mobile	117	16	15	Stock		\$2.06	\$17.61
4"x2"	3"	8.38"	E14225	Industrial	2,823	8	47	Stock		\$44.18	\$15.65
4"x6"	3"	8.38"	047164	Industrial	979	4	24	Stock		\$44.17	\$45.12
4"x6"	3"	14"	SF23884	Applicator	3,918	2	48	Stock		\$186.77	\$ 47.67




MANUFACTURING / PROCESSING

Duratherm III Linerless


Duratherm III Linerless is a self-wound adhesive label that provides excellent print quality and durability without the need for a liner. By removing the liner, the roll capacity increases and there's no need to dispose of the liner.



E25760



E25761




E25759

Size	ID	OD	Part Number	Printer Configuration	Rolls/Ctn	Ctn Weight	Stock/ MTO	Suggested Retail Price	
								\$/Roll	\$/Ctn
2.25"x860"	0.75"	2.25"	E25760	Mobile	50	20 lbs	MTO	\$7.91	\$395.50
3.25"x1260"	0.75"	2.6"	E25761	Mobile	50	24 lbs	MTO	\$16.92	\$846.00
4.375"x1260"	0.75"	2.6"	E25759	Mobile	30	20 lbs	MTO	\$21.74	\$1086.95

Duratherm III Film Label

Duratherm III Film is a top-coated direct thermal film employing a all-temperature adhesive perfectly suited for ambient and refrigerated environments.



E25764


Size	ID	OD	Part Number	Printer Configuration	Qty/Roll	Rolls/Ctn	Ctn Weight	Stock/ MTO	Suggested Retail Price	
									\$/Roll	\$/M
2"x1"	0.75"	2.6"	E25764	Mobile	506	32	17 lbs	Stock	\$3.87	\$7.65




MANUFACTURING / PROCESSING

Duratran II Paper


Duratran™ II is a top-coated thermal transfer paper that demonstrates excellent print quality with the TMX1407 ribbons. This product is recommended where moderate abrasion, heat or sunlight are present.




E07516



E06175



SFSE23881



SFSE23877

Size	ID	OD	Part Number	Printer Configuration	Qty/Roll	Rolls/Ctn	Ctn Weight	Stock/ MTO	Suggested Retail Price		PD/PM/PX Ribbon
									\$/Roll	\$/M	
4"x2"	3"	8.38"	E07516	Industrial	2,823	4	24	Stock	\$25.98	\$9.20	11234118
4"x6"	3"	8.38"	E06175	Industrial	979	4	24	Stock	\$32.79	\$33.49	11234118
4"x4"	3"	14"	SFSE23881	Applicator	11,636	2	50	Stock	\$171.02	\$29.40	11234124
4"x6"	3"	14"	SFSE23877	Applicator	7,836	2	50	Stock	\$171.02	\$43.65	11234124

Desktop



Industrial




Mobile



TOTE / RPC / DRUM LABELS

Duratherm III Film Label

Duratherm III Film is a top-coated direct thermal film employing a all-temperature adhesive perfectly suited for ambient and refrigerated environments.




E25764

Size	ID	OD	Part Number	Printer Configuration	Qty/Roll	Rolls/Ctn	Ctn Weight	Stock/ MTO	Suggested Retail Price	
									\$/Roll	\$/Ctn
2"x1"	0.75"	2.6"	E25764	Mobile	506	32	17	Stock	\$4.26	\$136.32

Duratron II Kimdura Film Label

A durable, high-quality polyolefin thermal transfer label. Exhibits good tear resistance and moisture resistance, as well as moderate temperature and chemical resistance.



E09186

Size	ID	OD	Part Number	Printer Configuration	Qty/Roll	Rolls/Ctn	Ctn Weight	Stock/ MTO	Suggested Retail Price		PD/PM/PX Ribbon
									\$/Roll	\$/Ctn	
4"x6"	3"	8.38"	E09186	Industrial	897	8	53	Stock	\$78.43	\$87.44	12234118

Desktop



Industrial




Mobile



TOTE / RPC / DRUM LABELS

Duratron II Gloss Polyester Film Label

A high-gloss, top-coated polyester label with exceptional print quality. Excellent tear, smear and abrasion resistance; highly moisture and heat resistant. Product is UL recognized when printed with Intermec ThermaMAX 3201 and 3202 ribbons.




E23222

E25733

Size	ID	OD	Part Number	Printer Configuration	Qty/Roll	Rolls/Ctn	Ctn Weight	Stock/MTO	Suggested Retail Price		PD/PM/PX Ribbon
									\$/Roll	\$/M	
4"x2"	3"	8.38"	E23222	Industrial	3,000	8	51	Stock	\$114.09	\$38.03	13634118
4"x6"	3"	8.38"	E25733	Industrial	979	8	51	Stock	\$117.06	\$119.59	13634118

RFID Duratron II Gloss Polyester Film Label

RFID Smart-label products meet the ISO 18000-6C/EPC Global Gen 2 specification with 96 bits of EPC memory allocation. Intermec's Smart Labels are optimized for use in the PM4i, PX4i, and PX6i printer/encoder. Configurations compatible with other non-Intermec printers are available as custom items.



ILR00245

Size	ID	OD	Part Number	Printer Configuration	Qty/Roll	Rolls/Ctn	Ctn Weight	Stock/MTO	Suggested Retail Price		PD/PM/PX Ribbon
									\$/Roll	\$/Ctn	
4"x2"	3"	8.38"	ILR00245	Industrial	1,410	2	12	MTO	\$295.78	\$591.56	13634118

Desktop



Industrial




Mobile




SHIPPING

Duratherm II Paper

Duratherm II is a non top-coated direct thermal paper that offers high quality, cost-effective printing. This material is recommended for most general-use applications where exposure to chemicals and moisture is not anticipated.



E14225



047164

Size	ID	OD	Part Number	Printer Configuration	Qty/Roll	Rolls/Ctn	Ctn Weight	Stock/ MTO	Suggested Retail Price	
									\$/Roll	\$/M
4"x2"	3"	8.38"	E14225	Industrial	2,823	8	47	Stock	\$44.18	\$15.65
4"x6"	3"	8.38"	047164	Industrial	979	4	24	Stock	\$44.17	\$45.12



Desktop



Industrial




Mobile




SHIPPING

Duratran II Paper

Duratran™ II is a top-coated thermal transfer paper that demonstrates excellent print quality with the TMX1407 ribbons. This product is recommended where moderate abrasion, heat or sunlight are present.



E07516




E06175

Size	ID	OD	Part Number	Printer Configuration	Qty/Roll	Rolls/Ctn	Ctn Weight	Stock/ MTO	Suggested Retail Price		PD/PM/PX Ribbon
									\$/Roll	\$/M	
4"x2"	3"	8.38"	E07516	Industrial	2,823	4	24	Stock	\$25.98	\$9.20	11234118
4"x6"	3"	8.38"	E06175	Industrial	979	4	24	Stock	\$32.79	\$33.49	11234118

SHIPPING

Country of Origin Integrated Shipping Label

Intermec's Integrated Shipping Label fulfills shipping label and packing slip requirements, eliminating mismatch errors while saving time and consumable cost. Duratherm III label with cold temperature adhesive ensures durable printed images and services a wide range of application environments.



E25588


		Part Number	Printer Configuration	Qty/ Stack	Stacks/ Ctn	Ctn Weight	Stock/ MTO	Suggested Retail Price	
Size								\$/Ctn	\$/M
4"x11.5"	Fanfold	E25588	Industrial	1,000	2	26	Stock	\$160.92	\$80.46




ASSET LABELS

Duratran S Film Label


A 3 mil thick polypropylene thermal transfer label at an attractive price point. The matte face stock offers excellent print quality and moisture resistance.




E25754




E25755



E25756



E25742



E25743


Size	ID	OD	Part Number	Printer Configuration	Qty/ Roll	Rolls/ Ctn	Ctn Weight	Stock/ MTO	Suggested Retail Price		PC41/ PF8-0.5" Ribbon	PC43t/ PF8-1" Ribbon	PD/PM/PX Ribbon
									\$/Roll	\$/M			
2"x1"	1.5"	5"	E25754	Desktop	1911	8	17	Stock	\$20.47	\$10.71	12042504	12232311	n/a
3"x1"	1.5"	5"	E25755	Desktop	1911	8	25	Stock	\$25.43	\$13.46	12043204	12233111	n/a
4"x1"	1.5"	5"	E25756	Desktop	1911	8	34	Stock	\$21.36	\$21.36	12044304	12234012	n/a
4"x2"	3"	8.38"	E25742	Industrial	2,823	4	25	MTO	\$64.63	\$22.89	n/a	n/a	12234118
4"x6"	3"	8.38"	E25743	Industrial	979	4	25	MTO	\$62.11	\$63.44	n/a	n/a	12234118




ASSET LABELS

Duratran II Gloss Polyester Label


A high-gloss, top-coated polyester label with exceptional print quality. Excellent tear, smear and abrasion resistance; highly moisture and heat resistant. Product is UL recognized when printed with Intermec ThermaMAX 3201 and 3202 ribbons.




E25745




E22233



E25746



E23222



E25733


Size	ID	OD	Part Number	Printer Configuration	Qty/ Roll	Rolls/ Ctn	Ctn Weight	Stock/ MTO	Suggested Retail Price		PC41/ PF8-0.5" Ribbon	PC43t/ PF8-1" Ribbon	PD/PM/PX Ribbon
									\$/Roll	\$/M			
2"x1"	1.5"	5"	E25745	Desktop	2391	8	10	MTO	\$33.84	\$7.86	13042504	13632111	n/a
3"x1"	1.5"	5"	E22233	Desktop	2391	8	12	Stock	\$27.11	\$11.34	13633136	13633111	n/a
4"x1"	1.5"	5"	E25746	Desktop	2391	4	12	MTO	\$55.64	\$23.27	13044304	13634012	n/a
4"x2"	3"	8.38"	E23222	Industrial	3,000	8	51	Stock	\$114.09	\$38.03	n/a	n/a	13634118
4"x6"	3"	8.38"	E25733	Industrial	979	8	51	Stock	\$117.06	\$119.59	n/a	n/a	13634118




COLD CHAIN FOOD LOGISTICS

Duratherm III Paper


Duratherm III is a top-coated direct thermal paper that provides enhanced durability for applications where humidity and surface abrasion are a concern.



E21016



E14225



047164

Size	ID	OD	Part Number	Printer Configuration	Qty/Roll	Rolls/Ctn	Ctn Weight	Stock/ MTO	Suggested Retail Price	
									\$/Roll	\$/M
4"x6"	0.75"	2.6"	E21016	Mobile	117	16	15 lbs	Stock	\$2.06	\$17.61
4"x2"	3"	8.38"	E14225	Industrial	2,823	8	47 lbs	Stock	\$44.18	\$15.65
4"x6"	3"	8.38"	047164	Industrial	979	4	24 lbs	Stock	\$44.17	\$45.12



Desktop



Industrial




Mobile



COLD CHAIN FOOD LOGISTICS

Country of Origin Integrated Shipping Label

Intermec's Integrated Shipping Label fulfills shipping label and packing slip requirements, eliminating mismatch errors while saving time and consumable cost. Duratherm III label with cold temperature adhesive ensures durable printed images and services a wide range of application environments.



E25588

								Suggested Retail Price	
Size		Part Number	Printer Configuration	Qty/ Stack	Stacks/ Ctn	Ctn Weight	Stock/ MTO	\$/Ctn	\$/M
4"x11.5"	Fanfold	E25588	Industrial	1,000	2	26	Stock	\$160.92	\$80.46



THERMAL TRANSFER RIBBONS

ThermaMAX 1000 Wax Ribbons

A general-purpose, smear-resistant wax ribbon providing good durability when printing on Duratran™ II Papers and Tags.

Size	Length	Part Number	Qty/Ctn	Printer Configuration	Ctn Weight	Stock/ MTO	Suggested Retail Price		Printer
							\$/Roll	\$/Ctn	
2.35"	10800"	11232211	36	Desktop	17 lbs	Stock	\$8.58	\$308.88	PF8-1", PC43t
3.1"	10800"	11233011	24	Desktop	21 lbs	Stock	\$11.32	\$271.68	PF8-1", PC43t
3.27"	3588"	11043304	24	Desktop	11 lbs	Stock	\$5.00	\$120.00	PC41, PF8-1/2", PC43t
4.1"	10800"	11234012	24	Desktop	19 lbs	Stock	\$14.97	\$359.28	PF8-1", PC43t
4.33"	3588"	11044304	12	Desktop	7 lbs	Stock	\$6.62	\$79.44	PC41, PF8-1/2", PC43t
2.05"	18024"	11232018	36	Industrial	22 lbs	Stock	\$12.17	\$438.12	PD, PM, PX4i
3"	18024"	11233018	24	Industrial	30 lbs	Stock	\$18.26	\$438.24	PD, PM, PX
4.09"	18024"	11234118	24	Industrial	27 lbs	Stock	\$24.61	\$590.64	PD, PM, PX

ThermaMAX 2000 Mid-Range Ribbons

A mid-range ribbon that provides enhanced abrasion/smear resistance and high image quality when used with Duratran II coated papers and across the Intermec Mid-Range Film product line.

Size	Length	Part Number	Qty/Ctn	Printer Configuration	Ctn Weight	Stock/ MTO	Suggested Retail Price		Printer
							\$/Roll	\$/Ctn	
2.35"	10800"	12232311	24	Desktop	9 lbs	Stock	\$16.06	\$385.44	PF8-1", PC43t
2.5"	3588"	12042504	36	Desktop	9 lbs	Stock	\$6.70	\$241.20	PC41, PF8-1/2", PC43t
3.15"	10800"	12233111	24	Desktop	10 lbs	MTO	\$21.52	\$516.48	PF8-1", PC43t
3.27"	3588"	12043204	36	Desktop	11 lbs	Stock	\$8.78	\$316.08	PC41, PF8-1/2", PC43t
4.1"	10800"	12234012	24	Desktop	19 lbs	MTO	\$28.00	\$672.00	PF8-1", PC43t
4.33"	3588"	12044304	18	Desktop	7 lbs	Stock	\$11.62	\$209.16	PC41, PF8-1/2", PC43t
2.05"	18024"	12232018	24	Industrial	22 lbs	Stock	\$22.77	\$546.48	PD, PM, PX4i
2.99"	18024"	12233018	24	Industrial	30 lbs	Stock	\$34.16	\$819.84	PD, PM, PX
4.09"	18024"	12234118	12	Industrial	13 lbs	Stock	\$46.68	\$560.16	PD, PM, PX

ThermaMAX 3000 Resin Ribbons

A high quality resin ribbon for applications that require the optimum level of smear and abrasion resistance. Excellent imaging and performance across the Intermec Ultra-Durable Film product line.

Size	Length	Part Number	Qty/Ctn	Printer Configuration	Ctn Weight	Stock/ MTO	Suggested Retail Price		Printer
							\$/Roll	\$/Ctn	
2.36"	10800"	13632111	24	Desktop	12 lbs	Stock	\$19.16	\$459.84	PF8-1", PC43t
2.5"	3588"	13042504	24	Desktop	7 lbs	Stock	\$11.06	\$265.44	PC41, PF8-1/2", PC43t
3.1"	10800"	13633111	24	Desktop	15 lbs	MTO	\$30.93	\$742.32	PF8-1", PC43t
3.1"	3588"	13633136	24	Desktop	7 lbs	MTO	\$13.71	\$329.04	PC41, PF8-1/2", PC43t
4.1"	10800"	13634012	24	Desktop	14 lbs	Stock	\$65.28	\$1,566.72	PF8-1", PC43t
4.33"	3588"	13044304	24	Desktop	7 lbs	Stock	\$19.14	\$459.36	PC41, PF8-1/2", PC43t
2.09"	18036"	13632018	24	Industrial	12 lbs	Stock	\$32.81	\$787.44	PD, PM, PX4i
2.99"	18036"	13633018	24	Industrial	18 lbs	Stock	\$49.22	\$1,181.28	PD, PM, PX
4.09"	18036"	13634118	24	Industrial	24 lbs	Stock	\$68.19	\$1,636.56	PD, PM, PX

Desktop



Industrial




Mobile




APPENDIX

Direct Thermal vs. Thermal Transfer



Direct Thermal Media Explained

Direct Thermal media uses a transparent heat-sensitive coating applied to its surface to image text and bar codes. When the heat from the print head contacts the coating, it initiates a chemical reaction that turns the coating black.



Thermal Transfer Media Explained

Thermal Transfer media uses a ribbon to image the text and bar codes on a variety of materials, both paper and film. When the ribbon is passed beneath the print head, the heat softens the ribbon ink while in contact with the label or tag, resulting in the transfer of the ink to the surface of the label or tag. There are three general classes of ribbons that are used in thermal printers: Wax, Mid-range, and Resin.

Wax ribbons are the most commonly used class and are mostly targeted to print paper labels and tags that will be exposed to relatively benign environments. Wax ribbons are also used to print on film labels and tags in some applications.

Mid-range ribbons are a hybrid design where resin is mixed with the wax to produce ribbons with durability properties that fall somewhere between the wax and resin ribbons. Mid-range ribbons are used to print on both paper and film labels and tags.

Resin ribbons are the most durable and are mostly targeted to printing on film labels and tags that will be exposed to extreme environments.

Ask about Intermec's

Free Printhead Replacement Program*

- Provides no-cost printhead replacement for all Intermec fixed printers
- Lowers total cost of ownership, speeds up return on investment
- Applies to all Intermec media supplies

*Conditions apply. See www.intermec.com



APPENDIX

Application Briefs

Intermec offers a mix of media products to address the requirements of many specific industry applications. Intermec has developed many Applications Brief documents that detail the media performance and regulatory requirements for specific applications for a variety of industries. Below you will find the seven Application Briefs targeted specifically at the Healthcare market.

Country of Origin Labeling

In 2008, the USDA Country of Origin requirements expanded in scope. By March 31, 2009, food manufacturers and distributors need to clearly identify national origin for many products and provide corresponding recordkeeping documents with each shipment. Mishaps in this process can cost time, money, and even valued customers. Users can now streamline, error-proof, and cost-reduce this process with Intermec's Country of Origin Labeling solution.

http://www.intermec.com/public-files/application-briefs/en/ab_media_COOL_web.pdf



Food Service Distribution

The food service distribution industry has grown over the years to a multi-billion dollar market. The large providers typically ship to grocery chains, hotels, contract food service operations, healthcare facilities, multi-unit restaurant operations, just to name a few. Both at the carton level and pallet level, items need to be identified and tracked through the distribution channel. Activities include order picking, batch picking, replenishment, and transportation.

http://www.intermec.com/public-files/application-briefs/en/ab_media_foodsrv_web.pdf



Produce Traceability Labeling

When food borne illness outbreaks are identified, a robust food traceability system can ensure a fast, effective and targeted response. Food traceability systems enable end-to-end supply chain visibility, so that public exposure to unsafe food can be quickly identified and limited through all affected routes to market.

http://www.intermec.com/public-files/application-briefs/en/ab_Produce_Traceability_Labeling.pdf



Traceability Labeling for Food Manufacturing

When the Food Safety Modernization Act (FSMA) was signed into law on January 4, 2011, it signaled intent for the FDA to transition from contamination response to prevention. As the broad-reaching changes are fully implemented, they will include requirements for food facilities to proactively integrate plans for corrective action. An effective traceability system provides a foundational element for compliance with impending mandates. Additionally, without an effective traceability system, the negative impact of a potential recall is multiplied.

<http://www.intermec.com/public-files/application-briefs/en/ab-foodlabeling.pdf>



**North America
Corporate Headquarters**
6001 36th Avenue West
Everett, Washington 98203
Phone: (425) 348-2600
Fax: (425) 355-9551

**North Latin America
Headquarters Office**
Mexico
Phone: +52 55 52-41-48-00
Fax: +52 55 52-11-81-21

**South Latin America
Headquarters Office**
Brazil
Phone: +55 11 3711-6776
Fax: +55 11 5502-6780

**Europe/Middle East &
Africa Headquarters Office**
Reading, United Kingdom
Phone: +44 118 923 0800
Fax: +44 118 923 0801

**Asia Pacific
Headquarters Office**
Singapore
Phone: +65 6303 2100
Fax: +65 6303 2199

Internet
www.intermec.com
Worldwide Locations:
www.intermec.com/locations

Sales
Toll Free NA: (800) 934-3163
Toll in NA: (425) 348-2726
Freephone ROW:
00 800 4488 8844
Toll ROW: +44 134 435 0296

OEM Sales
Phone: (425) 348-2762

Media Customer Service
Phone: (800) 755-5505 opt# 2
Fax: (800) 227-1707
Orders and Inquiries:
Cincy.orders@intermec.com
Requests for Quote:
Cincy.rfq@intermec.com

**Customer Service
and Support**
Toll Free NA: (800) 755-5505
Toll in NA: (425) 356-1799

Copyright © 2011 Intermec Technologies Corporation. All rights reserved. Intermec is a registered trademark of Intermec Technologies Corporation. All other trademarks are the property of their respective owners. Printed in the U.S.A. 612171 01A 01/12



In a continuing effort to improve our products, Intermec Technologies Corporation reserves the right to change specifications and features without prior notice.